



PERFORMANCE DATA

RPM	MPH	GPH	MPG	RANGE*
600	3.9	1.8	2.17	768
1000	6.3	3.9	1.62	573
1500	8.4	6.0	1.40	496
2000	10.4	10.5	0.99	351
2500	11.8	15.8	0.75	265
3000	18.2	19.7	0.92	328
3500	25.7	26.2	0.98	348
4000	32.1	35.9	0.89	317
4500	36.5	43.8	0.83	296
5000	41.0	54.6	0.75	266
5500	45.9	69.6	0.66	234
6050	49.1	78.3	0.63	222

*Range based on 90% Fuel Capacity

MODEL SPECIFICATIONS

L.O.A.	37' 11"
Beam	12' 0"
Hull Draft (motors up)	27"
Hull Draft (motors down)	41"
Fuel Capacity**	425 U.S. gal
Diesel Generator Tank	20 U.S. gal
Max. Horsepower	1050 HP
Average Dry Weight	16,659 lbs.
Water Capacity	45 U.S. gal
Holding Tank Capacity	20 U.S. gal
Clearance w/ Hardtop***	8'-10"
Deadrise	20°


YAMAHA POWER

Outboard Model	Triple F300s (V-6)
Outboard Dry Weight	562 lbs.
Mounting Hole	#3
Optimum Propeller	15-1/2 x 17 Saltwater Series II

**Net tank capacity. The usable fuel capacity will be affected by several factors, including EPA-required fuel system components, temperature and loading of the boat. These factors will reduce the usable fuel capacity by approximately 10%.

***Hardtop Clearance shown does not include options which could increase this height dimension.

Best Cruise MPG



0 to 20 mph Acceleration = 4.94 sec.

TEST CONDITIONS

Full Boat Test Weight	***21969
Test Personnel	4
Test Date	4/4/17
Air/Water Temperature	70° / 76°

***Test Weight includes 394 gal. of fuel, full water and diesel tanks, all optional equipment, personnel, and safety gear.

Note: Data may vary due to changes in weather, elevation, options, load and bottom conditions.

Fuel data gathered with Yamaha Fuel Management System. Speed data gathered with GPS.

