

PURSUIT®

ST 310




PERFORMANCE DATA

RPM	MPH	GPH	MPG	RANGE*
600	3.0	1.3	2.31	514
1000	6.5	2.7	2.41	536
1500	8.5	4.5	1.89	421
2000	9.0	7.5	1.20	267
2500	13.0	11.5	1.13	252
3000	19.5	14.5	1.34	299
3500	29.5	19.2	1.54	342
4000	37.0	24.1	1.54	342
4500	40.5	34.6	1.17	261
5000	45.5	41.4	1.10	245
5500	50.0	47.9	1.04	232
6000	54.5	51.6	1.06	235

* Range based on 90% Fuel Capacity

Best Cruise MPG



0 to 30mph Acceleration = 8.5 sec.

MODEL SPECIFICATIONS

L.O.A.	31' 2"
Beam	9' 6"
Hull Draft (motors up)	22"
Hull Draft (motors down)	32"
Fuel Capacity**	260 U.S. gal
Max. Horsepower	600 HP
Average Dry Weight (w/Twin F300s)	8,640 lbs.
Water Capacity	20 U.S. gal
Holding Tank Capacity	20 U.S. gal
Clearance w/ Hardtop***	7' 11"
Deadrise	24°

YAMAHA POWER

Outboard Model	Twin F300s (V-6)
Outboard Dry Weight	562 lbs.
Mounting Hole	#2
Optimum Propeller	15-1/4 x 19 SWS II

**Net tank capacity. The usable fuel capacity will be affected by several factors, including EPA-required fuel system components, temperature and loading of the boat. These factors will reduce the usable fuel capacity by approximately 10%.

***Hardtop Clearance shown does not include options which could increase this height dimension.

TEST CONDITIONS

Full Boat Test Weight	10,540 lbs.****
Test Personnel	2
Test Date	8/6/2013
Air/Water Temperature	88° / 78°

****Test Weight includes 237 gal. fuel, 5 gal. water, all optional equipment, personnel, and safety gear.

Note: Data may vary due to changes in weather, elevation, options, load and bottom conditions.

Fuel data gathered with Yamaha Fuel Management System.
Speed data gathered with GPS.

